

VandalLUX 3

TECHNICAL DATA SHEET

1500mm

- Recessed mounted, vandal resistant, frame with stainless steel security screws
- Light Distribution: Direct
- Optical System: Opal Polycarbonate Diffuser
- Housing: Zinc Plated Steel
- Colour: White



ELECTRICAL DATA

Main Voltage:	220-240V, 0/50/60Hz
Power Factor:	>0,90
Integrated Sensor:	Available

System power*, W:	30.6w to 54.1w
Control gear:	ECG On/off or Dali

LIGHTING DATA

Luminaire output*,lm(ta+25°C):	3691 to 7023
CRI (Ra):	80+
SDCM:	3
Distribution Type:	Direct
UGR Index:	<22

System efficacy, lm/W:	Up to 130
CCT, K:	3000 to 4000
Light Distribution:	Direct
Beam angle, °:	106x106
LED lifetime, h:	100000/L80B10

TECHNICAL DATA

Dimensions, mm:	L:1530 W:180 H:65
Net weight, kg:	10.2

Quantity in package, pcs:	1
---------------------------	---


STANDARDS

Operating temperature range, °C:	ta -20... +40
Ingress protection code:	IP65


Mechanical impact resistance:	IK10
Certificates:	CE, UKCA, RoHS

Note: Tolerance range for optical and electrical data: $\pm 10\%$. 4C LIGHTING SOLUTIONS is constantly developing and improving its products. The right is reserved to change any product specifications without prior notification.

TECHNICAL DRAWING



LIGHT DISTRIBUTION CURVE



PRODUCTS

COLOUR (K)	LUMINAIRE OUTPUT (LLM)	POWER (W)	EFFICACY (LLM/W)	PART CODE
3000	3691	30.6	120	VLX3/1530/3690/3K
3000	5023	40.8	123	VLX3/1530/5020/3K
3000	5507	45.5	121	VLX3/1530/5500/3K
3000	6663	54.1	123	VLX3/1530/6660/3K
4000	3891	30.7	127	VLX3/1530/3890/4K
4000	5295	40.9	130	VLX3/1530/5300/4K
4000	5805	45.5	128	VLX3/1530/5800/4K
4000	7023	54.1	130	VLX3/1530/7020/4K

OPTIONS

	PART CODE
DALI driver	/DD
3 Hour emergency	/E3S
3 hour DALI emergency	/E3D

	PART CODE
4CMESH	/MM
4CMESH with Sensor	/MMS
Integrated DALI sensor	/IDS

EXAMPLE PART CODE: VLX3/1530/3890/4K/DD/E3D

Note: Tolerance range for optical and electrical data: $\pm 10\%$. 4C LIGHTING SOLUTIONS is constantly developing and improving its products. The right is reserved to change any product specifications without prior notification.